

For a Free Quote:

Web: EnergyPal.com/solar

Call: 1-800-990-3725

Email: contact@energypal.com

EnergyPal

Solar Panel Guide Specification Data Sheet

**Solaico
SL 725 200/210WP
210 WP**

Also available on the web at
EnergyPal.com/solaico-solar-panels/210-wp



solaico

paneles solares fotovoltaicos



HIGH EFFICIENCY
MODULES



EASY INSTALLATION

12
YEARS

MANUFACTURER
WARRANTY

25
YEARS

PANEL PERFORMANCE
WARRANTY

24 V - SL 725 200/210 WP

Solaico photovoltaic modules are manufactured with high quality materials, certified and manufactured in Europe. Solaico has internal laboratories to verify the quality of the materials, and certifies its products to be operative in all the international markets.


Features:

- High efficiency modules.
- Ease of installation.
- 12-year warranty manufacturing product defect.
- 25-year panel performance warranty.

Packaging:


- Units/palet - 26 u
- Units/container 40' 28
- Units/container 728 U

*Indicative data subject to change depending on the measurements of the glass.



Data Sheet

Maximum system voltage	1000 Vdc
Operating temperature range	-40°C / +85 °C
Coefficient temperature Pmax	-0,42% / °C
Coefficient temperature Voc	-0,32% / °C
Coefficient temperature Isc	0'04 % / °C
Solar cable	4mm2
Connectors	MC4 or compatibles



Characteristics

	200 WP	210 WP
Maximum power (P _{MAX})	200 WP	210 Wp
Maximum Power Voltage (V _{MP})	36,98 V	36,98 V
Maximum power (I _{MP})	5,41 A	5,41 A
Open circuit voltage (V _{OC})	45,42 V	45,42 V
Short circuit current (I _{SC})	5,83 A	5,83 A
A Panel Efficiency	15 %	15 %
Panel Weight	16,5 Kg	16,5 Kg

Notes:



HIGH EFFICIENCY
MODULES



EASY INSTALLATION



PANEL PERFORMANCE
WARRANTY



MANUFACTURER
WARRANTY