

For a Free Quote:

Web: EnergyPal.com/solar

Call: 1-800-990-3725

Email: contact@energypal.com

EnergyPal

Solar Panel Guide Specification Data Sheet

Camel Solar Energy (Dalian) Co., Ltd.

CSE-P5C2-72-DH2

CSE-P5C2-72-DH2-330

Also available on the web at


EnergyPal.com/camel-solar-energy-dalian-co-ltd-solar-panels/cse-p5c2-72-dh2-330

骆驼绿色电力科技(大连)有限公司

CSE-P5C2-72-DH2

MECHANICAL PARAMETERS

Cell(mm)	156.75x78.375
Weight(kg)	24.7
Dimensions(LxWxH)(mm)	1983x991x16.8
Cable Length(mm)	75+275
Cable cross section size (mm ²)	4
Qty of cells	144(12×12)
Qty of diodes	3
Packing configuration	40 pcs / Pallet




TYPE	CSE-P5C2-72-DH2-325	CSE-P5C2-72-DH2-330	CSE-P5C2-72-DH2-335	CSE-P5C2-72-DH2-340	CSE-P5C2-72-DH2-345
Rated Maximum Power at STC	325	330	335	340	345
Open Circuit Voltage (Voc/V)	45.60	45.95	46.18	46.41	46.65
Working Power Voltage (Vmp/V)	37.51	37.68	37.97	38.32	38.61
Short Circuit Current (Isc/A)	9.21	9.30	9.41	9.50	9.59
Working Power Current (Imp/A)	8.70	8.80	8.86	8.91	8.99
Module Efficiency [%]	16.54	16.79	17.05	17.30	17.56
Power Tolerance (W)	0~+5				
αIsc (%K)	+0.069				
βVoc (%K)	-0.34				
γPmp (%K)	-0.41				
STC:(Air Mass 1.5,Irradian 1000/m ² , Module Temperature 25℃)					

WORKING CONDITIONS

Maximum System Voltage	1500VDC(IEC)/600VDC(UL)
Operating Temp	-40℃~+85℃
Maximum Series Fuse	15A
Max.Wind Load	1600Pa
Max.Snow Load	3600Pa
NOCT	41.5±1℃
Application Class	Class A
Grounding conductivity	<0.1Ω

I-V CURVE



GUARANTEE

10-year limited product quality warranty;

Limited performance warranty: 10 years at 90% of the minimal rated power output, 25 years at 80% of the minimal rated power output.



CAMEL SOLAR ENERGY (DALIAN) CO., LTD (CSE)

Add: Room 506-7, No.1, Gaoxin Street, High Technology Industrial Park, Dalian City, Liaoning Province, 110023, P.R.China

TEL: 400-8060-260

Http://www.camelsolarenergy.com

If any technology or parameter changes in the product specification, Camel Solar Energy (Dalian) Co., Ltd reserves the right of final interpretation.