

**For a Free Quote:**

**Web: [EnergyPal.com/solar](http://EnergyPal.com/solar)**

**Call: 1-800-990-3725**

**Email: [contact@energypal.com](mailto:contact@energypal.com)**

# **EnergyPal**

## **Solar Panel Guide Specification Data Sheet**

**Shaoxing Holt New Energy Co., Ltd.  
HTMO-A Mono Standard  
HTMO-A36-100**

Also available on the web at  
[EnergyPal.com/shaoxing-holt-new-energy-co-ltd-solar-panels/htmo-a36-100](http://EnergyPal.com/shaoxing-holt-new-energy-co-ltd-solar-panels/htmo-a36-100)


## 常规太阳能电池组件 Standard Solar Panels

适用于：光伏电站、光伏扬水系统、光伏路灯、光伏户外设备等应用产品


Suitable for: PV power plants, PV pumping system, PV streetlight, PV outdoor equipment and other application products

### 单晶 HTMO-A 系列 (Monocrystalline series)

型号 Module	P <sub>m</sub> (W)	V <sub>m</sub> (V)	I <sub>m</sub> (A)	V <sub>o</sub> (V)	I <sub>sc</sub> (A)	尺寸(mm) Size	重量 (kg) Weight
HTMO-A72-365	365	39.5	9.24	48.1	9.64	1956*992*45 1946*990*40	21
HTMO-A72-360	360	39.1	9.21	47.7	9.61		
HTMO-A72-355	355	38.7	9.17	47.2	9.66		
HTMO-A72-350	350	38.2	9.15	46.6	9.55		
HTMO-A72-345	345	37.8	9.12	46.1	9.52		
HTMO-A60-305	305	33.1	9.23	40.4	9.63	1650*992*40 1640*990*35	19.5
HTMO-A60-300	300	32.6	9.20	39.8	9.31		
HTMO-A60-295	295	32.1	9.18	39.2	9.58		
HTMO-A60-290	290	31.7	9.15	38.7	9.56		
HTMO-A60-285	285	31.3	9.11	38.2	9.50		
HTMO-A36-195	195	21.1	9.25	25.7	9.65	1480*680*35 1480*680*30	11.6
HTMO-A36-190	190	20.7	9.20	25.3	9.62		
HTMO-A36-185	185	20.2	9.16	24.6	9.56		
HTMO-A36-180	180	19.7	9.13	24.1	9.54		
HTMO-A36-175	175	19.2	9.12	23.4	9.53		
HTMO-A36-115	115	20.2	5.69	24.6	6.09	1200*550*30 1200*550*25	7.5
HTMO-A36-110	110	20.1	5.47	24.5	6.07		
HTMO-A36-105	105	19.8	5.31	24.2	5.92		
HTMO-A36-100	100	19.5	5.13	23.8	5.53		



HTMO-A60-285



### 多晶 HTMU-A 系列 (Polycrystalline series)

型号 Module	P <sub>m</sub> (W)	V <sub>m</sub> (V)	I <sub>m</sub> (A)	V <sub>o</sub> (V)	I <sub>sc</sub> (A)	尺寸(mm) Size	重量 (kg) Weight
HTMU-A72-345	345	37.4	9.23	45.6	9.63	1956*992*45 1946*990*40	21
HTMU-A72-340	340	37.2	9.15	45.4	9.55		
HTMU-A72-335	335	36.8	9.11	44.9	9.51		
HTMU-A72-330	330	36.6	9.01	44.7	9.42		
HTMU-A72-325	325	36.2	8.99	44.2	9.39		
HTMU-A60-290	290	31.5	9.22	38.4	9.62	1650*992*40 1640*990*35	19.5
HTMU-A60-285	285	31.1	9.16	38.0	9.56		
HTMU-A60-280	280	30.8	9.1	37.5	9.5		
HTMU-A60-275	275	30.5	9.01	37.2	9.41		
HTMU-A60-270	270	30.1	8.98	36.7	9.38		
HTMU-A36-185	185	20.1	9.22	24.5	9.62	1480*680*35 1480*680*30	11.6
HTMU-A36-180	180	19.7	9.13	24.1	9.53		
HTMU-A36-175	175	19.3	9.09	23.5	9.49		
HTMU-A36-170	170	18.9	9.01	23.0	9.41		
HTMU-A36-165	165	18.4	8.99	22.4	9.39		



HTMU-A60-270



## 小组件 HTMO/U-N 系列 (PV module series)

型号 Model	Pm (W)	Vm (V)	Im (A)	Vo (V)	Isc (A)	尺寸(mm) Size	重量 (kg) Weight
HTMO-N60	60	18	3.33	21.9	3.93	660*540*30	3.8
HTMO-N40	40	18	2.22	21.9	2.82	360*690*25	2.75
HTMO-N15	15	18	0.83	21.9	1.32	355*300*25	1.4
HTMO-N10	10	18	0.56	21.9	1.12	360*240*25	1.05
HTMO-N10	10	9.21	1.12	10.9	1.3	342*291*15	1.1
HTMO-N8	8	18	0.44	21.9	0.57	275*275*17	0.82
HTMU-N35	35	18	1.94	21.9	2.48	360*690*25	2.75
HTMU-N30	30	18	1.66	21.9	2.16	535*460*30	2.7



HTMO-N10

## 使用案例 (Use cases)



## 资质 (Certificate)

