

For a Free Quote:

Web: EnergyPal.com/solar

Call: 1-800-990-3725

Email: contact@energypal.com

EnergyPal

Solar Panel Guide Specification Data Sheet

**Nantong Qiangsheng Photovoltaic Technology Co.,
Ltd.**


QSM6-72/320-335W

QSM-335

Also available on the web at
EnergyPal.com/nantong-qiangsheng-photovoltaic-technology-co-ltd-solar-panels/qsm-335

Mono Crystalline Silicon Solar Module

QSM6-72/320-335



Temperature Coefficient

Nominal operating cell temperature (NOCT)	45 °C ± 2 °C
Short-circuit current temperature coefficient	0.045%/ °C
Open-circuit voltage temperature coefficient	-0.34%/ °C
Peak power temperature coefficient	-0.42%/ °C
Power tolerance	0~+3%

Electrical Specification

ELECTRICAL DATA @ STC	QSM-320	QSM-325	QSM-330	QSM-335
Peak Power Watts-Pmax(Wp)	320	325	330	335
Maximum Power Voltage - Vmp(V)	36.97	36.99	37.11	37.21
Maximum Power Current - Imp(A)	8.66	8.79	8.89	9.00
Open Circuit Voltage - Voc(V)	44.42	44.51	44.56	44.60
Short Circuit Current - Isc(A)	9.27	9.23	9.34	9.45
Module Efficiency (%)	16.68	16.94	17.20	17.46
Maximum System Voltage	1000VDC(IEC) / 600VDC(UL)			

Datas At Standard Test Conditions Stc(Air Mass AM1.5, Irradiance 1000W/m², Cell Temperature 25 °C).

Packaging Details

Number of modules per pallet	24
Number of pallets per 40'HQ container	22
Number of modules per 40'HQ container	528 pcs

Specifications

Cell	Monocrystalline Silicon solar cells 156mm * 156 mm / 6 inch
No. of cells	72 (6 *12) pcs
Dimension of module	1954 mm * 982 mm * 40 mm / 77 inch * 39 inch *1.57 inch
Weight	23 kg
Front Glass	3.2 mm (0.13 inch) tempered glass
Frame	Anodized aluminum alloy
Junction Box	IP65
Plug connector	IP67
Bypass-Diodes	6 pcs. (IEC) / 3 pcs. (UL)
Max. Fuse Current Rating	15 A
Type of Connector	MC4 or MC4 Comparable R501339190003
Cable length:	2* 1000 mm / 2*39.4 inch

Warranty

10-year limited product warranty

Limited performance warranty: 10 years at 90% of the minimal rated power output, 25years at 80% of the minimal rated power output

Guarantee positive power tolerance: 0~+3%

For further information on all QS Solar products, please contact:

QS Solar
Tel: +86 21 5257 0303
Fax: +86 21 6275 3211
Email: sales@qssolar.com
Website: www.qssolar.com



ISO 9001
14001

