For a Free Quote:

Web: **EnergyPal.com** Call: **1-800-990-3725**

Email: contact@energypal.com



Solar Panel Guide
Specification Data Sheet

Learn more at energypal.com/best-solar-panels-for-homes

Sunny Apex

155W Solar Module High Efficiency Back-Contact

- Sunny Apex's HOP series solar modules ranged from 35Watt to 155Watt
- Aesthetically using clear surface back-contact cells
- © Cells with High conversion efficiency above 23%
- Anodized aluminum improving corrosion resistance
- Excellent performance under low light conditions

#Your best choice for off-grid solar application!#



Electrical Specifications

Model Type	SA-H155	SA-H155
Peak Power (Pmax)	155W	155W
Module Efficiency	18.00%	18.00%
Maximum Power Voltage (Vmp)	19.8V	39.6V
Maximum Power Current (Imp)	7.8A	3.9A
Open Circuit Voltage (Voc)	24.1V	48.2V
Short Circuit Current (Isc)	8.6A	4.3A
Power Tolerance	-5% / + 10%	
Maximum System Voltage	70V	
Norminal Operating Cell Temp.	46 °C (+/- 2)	

Mechanical Specifications


Cell type	Back contact high eff. Mono
Number of cells	Total 144 cells, 36 cells in series
Weight	10.77kg [23.74lbs]
Dimensions	1082 x 796 x 35mm
	[42.55 x 31.36 x 1.38in]
Frame	$> 15 \mu m$ clear anodized aluminum
Junction Box	IP 65 waterproof
Cables	4.00mm ² , 900mm
Connectors	MC4 compatible


Temperature Coefficients

Power	-0.32%/ °C
Voltage	-1.8mV/ °C

Warranties & Certifiations

Warranties	2 years product warranty, 20 years limited power
	warranty of 80% of the mnimum specificed power rating
Certificates	CE





Unit: mm [inch]

Note: All electrical parameters are rated at standard test conditions (irradiance of 1000W/m2, AM 1.5G,cell temperature 77°F/25°C)

Caution: Read Safety and Installation Instruction before using this product.

2017 Sunny Apex Development Ltd. All right reserved. Specifications included in this datasheet are subject to change without notice.